


30 Christopher Street

Marquee Proposal








Between Waverly Place and Gay Street













A3 PARTIAL ELEVATION
SCALE: 1/4"-1"-0"




B2 PARTIAL CANOPY ROOF PLAN SCALE: 1/4*-1'-0"







A2 EXISTING ENTRANCE (PHOTO)
SCALE: N.T.S




AI EXISTING BUILDING ELEVATION (PHOTO)
SCALE NTS






NEW CANOPY FRAMING PLAN




TYP. CONNECTION DETAIL 1

HSS 6x4 TO EXIST. BRICK COLUMN
SCALE 1* = 1'-0'





SIDE WALK GROUND LINE



GENERAL BUILDING INFORMATION 30 CHRISTOPHER STREET, NEW YORK NY 10014

SCOPE OF WORK

CONSTRUCTION PLAN LEGEND

** NO CHANCE IN USE, OCCUPANCY OR EGRESS IS INVOLVED UNDER THIS APPLICATION

CONTROLLED INSPECTIONS REQUIRED		
INSPECTIONS/TESTS	CODE/SECTION	Ξ,
FINAL	28 116 2 4 2 PC 106 S PROFESTIVE 14 OF 1076 AND S POWN 100 10	7

ECCNYC / ECCCNYS COMPLIANCE

ECCCNYS TABLE 301.

CLIMATE ZON	ES BY COUNTY, ALL ZON		UK, MUIST DESIGNATIO
	CLIMATE	ZONE 4	
BRONX	NASSAU	QUEENS	SUFFOLK
KINGS	NEW YORK	RICHMOND	WESTCHESTER

CLIMATE ZONE: 4	REQUIREMENT	PROPOSED
SECTION 502: BUILDING ENVELOPE REQUIREMENTS	N/A	N/A
SECTION 503: BUILDING MECHANICAL SYSTEM	N/A	N/A
SECTION 504: SERVICE HEATING	N/A	N/A
SECTION 505: ELECTRICAL POWER AND LIGHTING SYSTEMS	N/A	N/A
SECTION 506: TOTAL BUILDING PERFORMANCE	N/A	N/A

TO THE BEST OF MY KNOWLEDGE, BELIEF AND PROFESSIONAL JUDGMENT, ALL WORK UNDER THIS APPLICATION IS IN COMPLIANCE WITH THE NYCECC

N.Y.C. BUILDING DEPARTMENT APPROVAL NOTES

THIS PLAN IS APPROVED ONLY FOR WORK INDICATED ON THE APPLICATION SPECIFICATION SHEET. ALL OTHER MATTERS SHOWN ARE NOT TO BE REUSED. UPON, OR TO BE CONSIDERED AS EITHER BEING APPROVED OR IN ACCORDANCE WITH APPLICABLE CODES

GENERAL ADMINISTRATIVE NOTES

- THE FOLLOWING GENERAL NOTES AND PLANS COVER BASIC ZONING AND ADMINISTRATIVE REQUIREMENTS FOR BUILDINGS WITHIN FIRE LIMITS OF CODES OF THE CITY OF NEW YORK.
- ALL WORK SHALL CONFORM TO THE CITY OF NEW YORK BUILDING CODE. INITIAL FILING WITH THE BUILDING DEPARTMENT DOES NOT CONSTITUTE COMPLETENESS. CORRECTNESS OR FINALIZATION OF PLANS.
- ONLY UPON APPROVAL BY THE BUILDING DEPARTMENT, A PERMIT MAY BE TAKEN OUT TO COMMENCE WORK, NO WORK SHOULD BE STARTED UNTIL THE BUILDING PERMIT IS SECURED

GENERAL NOTES

ENVIRONMENTALLY HAZARDOUS MATERIALS, INCLUDING ASBESTOS CONTAINING MATERIALS, LEAD AND OTHER HAZARDOUS OR TOXIC MATERIALS ARE ENCOUNTERED DURING PERFORMANCE OF CONTRACT WORK: CONTRACTOR SHALL IMMEDIATELY STOP AFFECTED WORK, TAKE PRECAUTIONS TO PROTECT AND SHORE UP WORK, AND NOTIFY THE OWNER WHEN DIRECTED BY OWNER, CONTRACTOR SHALL COORDINATE WITH OWNERS REPRESENTATIVES.

2 THE DRAWINGS ARE PART OF THE COMPLETE CONTRACT DOCUMENTS AND WORK INDICATED ON THE DRAWINGS SHALL BE SUBJECT TO THE ENTIRE CONTRACT DOCUMENTS. DRAWINGS, SPECIFICATIONS, AND OTHER CONTRACT DOCUMENTS, WHETHER OR NOT ATTACHED HERETO, ARE COMPLEMENTARY AND THE REQUIREMENTS OF ONE SHALL BE AS BINDING AS IF REQUIRED BY ALL. IT IS ESSENTIAL TO THE PROPER EXECUTION OF THE WORK THAT COORDINATION BETWEEN THE VARIOUS CONTRACT DOCUMENTS BE PROPERLY AND CONSISTENTLY MADE.

WHERE DRAWINGS INDICATE THE WORK IN DIAGRAMMATIC FORM, SUCH INDICATIONS SHALL BE SUBJECT TO DRAWN AND/OR WRITTEN DETAIL OR DIMENSIONAL INFORMATION PROVIDED ELSEWHERE MAKE MODIFICATIONS IN THE LAYOUT WORK THAT MAY BE NECESSARY TO SUIT ACTUAL FIELD CONDITIONS NOTIFY THE ARCHITECT PRIOR TO ANY SLICH MODIFICATIONS.

4. LAYOUT AND VERIFY NEW AND EXISTING CONDITIONS SO THAT WORK WILL AGREE WITH THE LINES LEVELS AND DIMENSIONS INDICATED ON THE DRAWINGS NOTIFY THE ARCHITECT AND REQUEST INSTRUCTIONS, IF THERE IS ANY DISCREPANCY BETWEEN THE DRAWINGS AND CONDITIONS ENCOUNTERED IN THE FIELD.

5. DIMENSIONS INDICATED ARE TO FINISH SURFACES, UNLESS OTHERWISE INDICATED. WHERE DIMENSIONS ARE MARKED WITH A PLUS OR MINUS (±) SIGN OR INDICATED AS V.I.F., SUCH DIMENSIONS ARE GENERALLY FOR CONVENIENCE, AND SHALL BE SUBORDINATE TO THE OTHER

6. WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS, LARGER SCALE

CONTRACTOR SHALL HAVE SOLE RESPONSIBILITY FOR THE SELECTION AND SUPERVISION OF THE APPROPRIATE, SAFE, AND LAWFUL MEANS AND METHODS OF CONSTRUCTION AND CONSTRUCTION OPERATIONS, AND SHALL ENSURE THAT ALL CONSTRUCTION PERSONNEL ARE FULLY COGNIZANT OF THEIR RESPONSIBILITIES UNDER THE CONTRACT DOCUMENTS AND ANY OTHER APPLICABLE REQUIREMENTS.

8. ALL PRECAUTIONS ARE TO BE TAKEN TO PREVENT DIRT, NOISE, WATER AND DUST FROM PERMEATING OTHER PARTS OF THE BUILDING DURING THE PROGRESS OF THE WORK, DURING CONSTRUCTION, TEMPORARY BAFFLES AND OR TEMPORARY PARTITIONS TO SEAL OPENINGS TO PREVENT DUST AND DIRT FROM FILTERING INTO OCCUPIED AREAS ARE TO BE PROVIDED BY THE

9. ALL WORK SHALL BE INSTALLED SO THAT ALL PARTS REQUIRED ARE READILY ACCESSIBLE FOR INSPECTION OPERATION MAINTENANCE AND REPAIR PROVIDE ACCESS DOORS AT POINTS WHERE MEP CONTROLS ARE INSTALLED. ACCESS DOOR RATING WILL MAINTAIN AND COMPLY WITH PARTITION OR CEILING FIRE RATING IN WHICH IT IS INSTALLED. SEE ARCHITECTURAL MEP

10. CONTRACTOR SHALL MAINTAIN FREE AND UNDBSTRUCTED ACCESS FROM ALL FLOORS AND ADJACENT SPACES INTO THE EXISTING FIRE STAIRS TO OUTSIDE OF THE BUILDING AT ALL TIMES. IF THE PATHS OF EGRESS CANNOT BE MAINTAINED DURING DURING THE CONSTRUCTION. THE CONTRACTOR MUST PROVIDE ALTERNATE MEANS OF ECRESS INCLUDING ERECTING BARRICADES, TEMPORARY SIGNS, ALTERNATE PATHS OF TRAVEL, ETC. IN ORDER TO MAINTAIN A SAFE ENVIRONMENT FOR THE OCCUPANTS OF THE BUILDING.

11. PROVIDE BARRICADES AROUND WORK AREAS AS REQUIRED TO PREVENT OTHER UNAUTHORIZED PERSONS FROM ENTERING THEREIN. BARRICADES SHALL BE 1/2" PLYWOOD WITH 2"x 4" WOOD STUDS @ 18" O.C. PAINT SIDE EXPOSED TO PUBLIC AND PROVIDE DOOR WITH

12. THE CONTRACTOR SHALL MAINTAIN THE INTEGRITY OF ALL FIRE RATED CONSTRUCTION AND RESTORE TO EQUIVALENT VALUE ANY RATING DISTURBED BY DEMOLITION AND/OR NEW CONSTRUCTION COORDINATE WITH ARCHITECT

13. ALL ELEVATIONS GIVEN ARE TO THE FINISH FLOOR. CONTRACTOR SHALL FIELD VERIFY ALL ELEVATIONS OF EXISTING CONSTRUCTION PRIOR TO COMMENCEMENT OF WORK


14. THE WORD 'PROVIDE' OR 'PROVIDE NEW' MEANS TO FURNISH AND INSTALL NEW ITEM(S)

15. CONTRACTOR SHALL RELOCATE/MODIFY AND PATCH ANY EXISTING ITEMS INTERFERED WITH THE INSTALLATION OF NEW WORK WHETHER SHOWN OR NOT SHOWN ON THESE DRAWINGS.

16. ADDITIONAL NOTES WHICH ARE APPLICABLE TO THIS PROJECT MAY BE FOUND THROUGHOUT

TENANT'S SAFETY NOTES

- CONSTRUCTION WORK WILL BE CONFINED TO THE INTERIOR, AND WILL NOT CREATE DUST, DIRT OR OTHER SUCH INCONVENIENCES TO OTHER TENANTS.
- 2. CONSTRUCTION OPERATION WILL NOT BLOCK HALLWAYS OR MEANS OF EGRESS FOR OTHER. 3. CONSTRUCTION OPERATIONS WILL NOT INVOLVE INTERRUPTION OF HEATING, WATER.
- CONSTRUCTION HOURS WILL BE DURING NORMAL BUSINESS HOURS FROM 8 AM TO 5PM. THERE WILL BE NO CONSTRUCTION WORK DURING THE EVENING HOURS.
- THE AGENT OF OWNER FOR THE REFERENCED PREMISES, HEREBY STATES THAT THEY WILL MAINTAIN ALL SERVICES TO THE REFERENCED BUILDING.
- DURING THE CONSTRUCTION SPECIFIED IN THE REFERENCED ALTERATION OR BUILDING NOTICE, ALL MEANS OF EGRESS FROM THE BUILDING WILL BE FREE OF ANY OBSTRUCTION SUCH AS BUILDING MATERIAL, DEBRIS, ETC...
- ALL ENTRANCE DOORS AND LIGHTS IN PUBLIC HALLWAYS WILL BE KEPT IN WORKING ORDER TO ENSURE PROPER EGRESS IN CASE OF AN EMERGENCY.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ADEQUATE FIRE SAFETY TO THE TENANTS IN ACCORDANCE WITH THE FIRE DEPARTMENT AND THE BUILDING DEPARTMENT.
- IF THERE ARE TO BE ANY STRUCTURAL CHANGES REQUIRED DURING THIS ALTERATION OR BUILDING NOTICE, A WRITTEN NOTHICKATION WILL BE SENT TO THE ARCHITECT TO EXAMINE FOR MAY RISK OF ACCIONS WHICH MAY OCCUR DURING CONSTRUCTION.
- O. ALL DEBRIS WILL BE DISPOSED OF IN A LEGAL AND PROPER MANNER, NO DEBRIS WILL BE LEFT IN THE PUBLIC HALLWAYS, DUST SHALL BE CONTROLLED WITH THE USE OF DROP



66 East 11th St.