

EXISTING NE FACADES



WESTBETH ARTISTS HOUSING

463 WEST STREET NEW YORK, NY. 10014

SCOPE OF PROPOSED EXTERIOR WORK:

SECTION A

-ABATE LEAD BASED PAINT FROM LOBBY 'A' ENTRY VESTIBULE; REPLACE EXISTING STORM DAMAGED STEEL ENTRANCE DOOR AT LOBBY 'A'; PAINT TO MATCH EXISTING.

-ABATE LBP FROM ORANMENTAL FERROUS PORTAL AND PEDESTRIAN ENTRY GATES; PAINT TO MATCH EXISTING.

-PREPARE EXISTING MORTAR GROUT AT CELLAR WINDOW GLASS BLOCK ENCLOSURES. -PROVIDE STAIN TO MATCH ARCHITECT'S SAMPLE.

SECTION D

-PREPARE EXISTING MORTAR GROUT AT CELLAR WINDOWS GLASS BLOCK ENCLOSURES. -PROVIDE STAIN TO MATCH ARCHITECT'S SAMPLE.

SECTION I

-PROVIDE LOCALIZED REPOINTING OF DAMAGED MASONRY, TO MATCH EXISTING. -ABATE ACM MASTIC ON WEST STREET WHERE LOCALIZED REPOINTING IS TO OCCUR. -ABATE LEAD BASED PAINT FROM WEST, SOUTH, AND EAST FACADES. -ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH

EXISTING COLOR + TOOLING. -PREPARE. PRIME. + PAINT TO MATCH EXISTING: PROVIDE MASONRY MINERAL COAT ON FACADES OF

WEST ST, BANK ST, AND PLAZA. -PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING.

SIDEWALK

-INSTALL BACKFLOW PREVENTOR AT NW CORNER AT BETHUNE AND WEST STREETS. -ABATE ACM FOUNDATION SEALANT. -REMOVE + REPLACE 22 FLAGS OF CONCRETE SIDEWALK TO MATCH EXISTING MATERIAL COLOR + -PROVIDE BACKER ROD + SEALANT ALONG BUILDING JOINT.

DOCKET #:

INNER COURTYARD [SECTIONS A, B, C + D]

ORDER TO REPLACE DAMAGED STRUCTURAL STEEL.

ALL REPLACEMENT PAVER MATERIAL. SIZE. COLOR.

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN

TEXTURE, AND PATTERN SHALL MATCH EXISTING. -ABATE LEAD BASED PAINT FROM INNER COURTYARD MASONRY AND STEEL WINDOWS. -ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH **EXISTING COLOR + TOOLING.** -PREPARE, PRIME, + PAINT TO MATCH EXISTING; PROVIDE MASONRY MINERAL COAT. -PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING. -PROVIDE ADA CONCRETE RAMP AT WEST STREET PASSAGEWAY ENTRANCE FROM BOTTOM OF

LIGHTWELL [SECTIONS B, C, G + H]

CONCRETE STAIR UP TO EXISTING COURTYARD.

-REMOVE SKYLIGHT IN ORDER TO FACILITATE INSTALLATION OF NEW GENERATOR VIA CRANE; PROVIDE REINFORCED CONCRETE SLAB ROOF; REPLACE ENTIRETY OF LOWER + UPPER LIGHTWELL ROOFING MEMBRANE + DRAINS TO MATCH EXISTING. -ABATE LEAD BASED PAINT FROM ALL FACADES OF MASONRY CHIMNEYS; BENEATH BRIDGE FROM SECTION H TO B; SOUTHERN FACADE OF SECTION C; EASTERN FACADE OF SECTION B; EXPOSED FACADES OF BUILDING G. [SECTION H IS NOT PAINTED MASONRY] -ABATE ACM WINDOW SEALANT AT ALL FACADES THAT ARE ADJACENT TO LIGHTWELL. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH **EXISTING COLOR + TOOLING.** -REPAIR MASONRY PARAPET, REPOINT TO MATCH EXISTING; REMOVE + REMOVE EXISTING STONE CAP, GROUT TO MATCH EXISTING. -PREPARE, PRIME, + PAINT TO MATCH EXISTING; PROVIDE MASONRY MINERAL COAT. -PAINT LIGHTWELL STEEL WINDOW FRAMES, MULLIONS, MUNTINS TO MATCH EXISTING.

ARCHITECT:

PEREZ ARCHITECTURE 86 34TH STREET. SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:

AYON STUDIO 41 UNION SQUARE WEST **SUITE 516** PAGE 1 NEW YORK, NY

EXISTING SW FACADES

1







AERIAL VIEWS FROM ALL FOUR CORNERS OF WESTBETH COMPLEX



SITE MAP



LPC MAP NEW YO

WESTBETH ARTISTS' HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

PROJECT LOCATION:

GREENWICH VILLAGE MANHATTAN, NEW YORK CITY

SITE IS LOCATED ON THE WEST SIDE OF LOWER MANHATTAN, BETWEEN WEST AND WASHINGTON STREETS & BETWEEN BETHUNE AND BANK STREETS. THE COMPLEX OCCUPIES THE ENTIRE BLOCK.

BLOCK: 0639 LOT: 01

LOT AREA: 96,999 +/- SF LOT FRONTAGE: 294 FT LOT DEPTH: 374 FT NUMBER OF FLOORS: 13

GROSS FLOOR AREA: 542,808 +/- SF

RESIDENTIAL UNITS: 384 TOTAL # UNITS: 384 ZONING: C6-3

COMMUNITY BOARD: 102

CENSUS TRACT: 79


ARCHITECT:

PEREZ ARCHITECTURE

86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:

AYON STUDIO



SCOPE OF PROPOSED EXTERIOR WORK:

SECTION A

-ABATE LEAD BASED PAINT FROM LOBBY 'A' ENTRY VESTIBULE; REPLACE EXISTING STORM DAMAGED STEEL ENTRANCE DOOR AT LOBBY 'A'; PAINT TO MATCH EXISTING.

-ABATE LBP FROM ORANMENTAL FERROUS PORTAL AND PEDESTRIAN ENTRY GATES; PAINT TO MATCH EXISTING.

-PREPARE EXISTING MORTAR GROUT AT CELLAR WINDOW GLASS BLOCK ENCLOSURES.

-PROVIDE STAIN TO MATCH ARCHITECT'S SAMPLE.

SECTION D

-PREPARE EXISTING MORTAR GROUT AT CELLAR WINDOWS GLASS BLOCK ENCLOSURES.
-PROVIDE STAIN TO MATCH ARCHITECT'S SAMPLE.

SECTION I

-PROVIDE LOCALIZED REPOINTING OF DAMAGED MASONRY, TO MATCH EXISTING.

-ABATE ACM MASTIC ON WEST STREET WHERE LOCALIZED REPOINTING IS TO OCCUR.

-ABATE LEAD BASED PAINT FROM WEST, SOUTH, AND EAST FACADES.

-ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH EXISTING COLOR + TOOLING.

-PREPARE, PRIME, + PAINT TO MATCH EXISTING; MASONRY MINERAL COAT ON FACADES OF WEST ST, BANK ST, AND PLAZA.

-PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING.

SIDEWALK

-INSTALL BACKFLOW PREVENTOR AT NW CORNER AT BETHUNE AND WEST STREETS.

-ABATE ACM FOUNDATION SEALANT.
-REMOVE + REPLACE 22 FLAGS OF CONCRETE SIDEWALK TO MATCH EXISTING MATERIAL COLOR + TOOLING.

-PROVIDE BACKER ROD + SEALANT ALONG BUILDING JOINT.

WESTBETH ARTISTS HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

<u>INNER COURTYARD</u> [SECTIONS A, B, C + D]

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN ORDER TO REPLACE DAMAGED STRUCTURAL STEEL. ALL REPLACEMENT PAVER MATERIAL, SIZE, COLOR, TEXTURE, AND PATTERN SHALL MATCH EXISTING.
-ABATE LEAD BASED PAINT FROM INNER COURTYARD MASONRY AND STEEL WINDOWS.
-ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH EXISTING COLOR + TOOLING.
-PREPARE, PRIME, + PAINT TO MATCH EXISTING;

-PREPARE, PRIME, + PAINT TO MATCH EXISTING; MASONRY MINERAL COAT.

-PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING.

-PROVIDE ADA CONCRETE RAMP AT WEST STREET PASSAGEWAY ENTRANCE FROM BOTTOM OF CONCRETE STAIR UP TO EXISTING COURTYARD.


LIGHTWELL [SECTIONS B, C, G + H]


-REMOVE SKYLIGHT IN ORDER TO FACILITATE INSTALLATION OF NEW GENERATOR VIA CRANE: PROVIDE REINFORCED CONCRETE SLAB ROOF REPLACE ENTIRETY OF LOWER + UPPER LIGHTWELL ROOFING MEMBRANE + DRAINS TO MATCH EXISTING. -ABATE LEAD BASED PAINT FROM ALL FACADES OF MASONRY CHIMNEYS; BENEATH BRIDGE FROM SECTION H TO B; SOUTHERN FACADE OF SECTION C; EASTERN FACADE OF SECTION B; EXPOSED FACADES OF BUILDING G. [SECTION H IS NOT PAINTED MASONRY] -ABATE ACM WINDOW SEALANT AT ALL FACADES THAT ARE ADJACENT TO LIGHTWELL. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH **EXISTING COLOR + TOOLING.** -REPAIR MASONRY PARAPET, REPOINT TO MATCH EXISTING; REMOVE + REMOVE EXISTING STONE CAP, GROUT TO MATCH EXISTING. -PREPARE, PRIME, + PAINT TO MATCH EXISTING; PROVIDE MASONRY MINERAL COAT. -PAINT LIGHTWELL STEEL WINDOW FRAMES, MULLIONS, MUNTINS TO MATCH EXISTING.

ARCHITECT:

PEREZ ARCHITECTURE
86 34TH STREET, SUITE D-601
BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:





463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

TRANSVERSE BUILDING SECTIONS
EXISTING + PROPOSED - FACING NORTH

1/11 - EXIST. SKYLIGHT TO BE REMOVED; PROVIDE PROTECTION AT TEMPORARY OPENING.

1/XX - EXISTING ORIGINAL + 1970 MEIER ADDITION INNER COURTYARD STEEL-FRAME STRUCTURE + REINFORCED DUAL DECK CONCRETE SLAB TO BE REMOVED (TYP.)

2/XX - ENLARGED EXISTING STAIR FROM ARCADE LEVEL TO INNER COURTYARD FROM WEST STREET PORTAL ENTRANCE.


EXISTING TRANSVERSE SECTION - B

2/11 - PROVIDE REINFORCED CONCRETE ROOF DECK & ROOF MEMBRANE SYSTEM AFTER INSTALLATION OF NEW EMERGENCY GENERATOR.

1/XX - REPLACEMENT STEEL FRAME STRUCTURE, REINFORCED CONCRETE SLAB + PAVERS TO MATCH EXISTING (TYP.)

2/XX - ENLARGED ADA RAMP SECTION OF REINFORCED CONCRETE, MATERIAL TO MATCH EXISTING CONCRETE STAIRS; REPLACEMENT CONCRETE STAIRS TO MATCH EXISTING; BOTH WITH SECTION 504 UFAS COMPLIANT HANDRAILS + FALL PROTECTION.


PROPOSED TRANSVERSE SECTION - B




ARCHITECT:


PEREZ ARCHITECTURE 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:





EXISTING ELEVATION OF WEST STREET COURTYARD ENTRY



PROPOSED ELEVATION OF WEST STREET COURTYARD ENTRY - WITH ADA RAMP



463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

ADA COMPLIANT RAMP DRAWINGS:

INSTALL ADA COMPLIANT RAMP AT WEST STREET PASSAGEWAY TO INNER COURTYARD

PHOTOS:

EXISTING FACADE FROM WEST SIDE HIGHWAY


ARCHITECT:

PEREZ ARCHITECTURE


86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:


AYON STUDIO



EXISTING ENLARGED ELEVATION OF WEST STREET COURTYARD ENTRY



PROPOSED ENLARGED ELEVATION OF WEST STREET COURTYARD ENTRY - WITH ADA RAMP



EXISTING ENLARGED WEST STREET COURTYARD ENTRY



EAST EXISTING ARCADE 1 INTERIOR



WEST EXISTING ARCADE 1 INTERIOR

WESTBETH ARTISTS' HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

ADA COMPLIANT RAMP DRAWINGS:

INSTALL ADA COMPLIANT RAMP AT WEST STREET PASSAGEWAY TO INNER COURTYARD

PHOTOS:

EXISTING CONDITION STAIR AND COURTYARD ENTRY AREA

ARCHITECT:

PEREZ ARCHITECTURE


86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:


AYON STUDIO




EXISTING WEST STREET COURTYARD ENTRANCE



EXISTING WEST STREET - VIEW WITHIN ARCADE 1



PROPOSED PHOTO MONTAGE - WEST STREET COURTYARD ENTRANCE



PROPOSED PHOTO MONTAGE - EXISTING WEST STREET - VIEW WITHIN ARCADE 1

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

ADA COMPLIANT RAMP DRAWINGS:

INSTALL ADA COMPLIANT RAMP AT WEST STREET PASSAGEWAY TO INNER COURTYARD

PHOTOS:

EXISTING AND PROPOSED RAMP AND STAIR TO INNER COURTYARD


ARCHITECT:

PEREZ ARCHITECTURE


86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:

AYON STUDIO



EXISTING ENLARED PLAN - INNER COURTYARD



PROPOSED ENLARED PLAN - INNER COURTYARD

WESTBETH ARTISTS' HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:


<u>INNER COURTYARD</u> [SECTIONS A, B, C + D]

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN ORDER TO REPLACE DAMAGED STRUCTURAL STEEL. ALL REPLACEMENT PAVER MATERIAL, SIZE, COLOR, TEXTURE, AND PATTERN SHALL MATCH EXISTING. -ABATE LEAD BASED PAINT FROM INNER COURTYARD MASONRY AND STEEL WINDOWS. -ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH EXISTING COLOR + TOOLING. -PREPARE, PRIME, + PAINT TO MATCH EXISTING; PROVIDE MASONRY MINERAL COAT. -PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING. -PROVIDE ADA CONCRETE RAMP AT WEST STREET PASSAGEWAY ENTRANCE FROM BOTTOM OF CONCRETE STAIR UP TO EXISTING COURTYARD.


ARCHITECT:

PEREZ ARCHITECTURE 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:




EXISTING ENLARGED SECTION - INNER COURTYARD



DEMOLITION ENLARGED SECTION - INNER COURTYARD

NOTE: CURVED BENCH AND RAMP TO BE PROTECTED AND SHORED DURING CONSTRUCTION; G.C. TO PROVIDE ENGINEERED SHORING PLANS



PROPOSED ENLARED SECTION - INNER COURTYARD

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:


INNER COURTYARD [SECTIONS A, B, C + D]

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN ORDER TO REPLACE DAMAGED STRUCTURAL STEEL. ALL REPLACEMENT PAVER MATERIAL, SIZE, COLOR, TEXTURE, AND PATTERN SHALL MATCH EXISTING. -ABATE LEAD BASED PAINT FROM INNER COURTYARD MASONRY AND STEEL WINDOWS. -ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH EXISTING COLOR + TOOLING. -PREPARE, PRIME, + PAINT TO MATCH EXISTING; PROVIDE MASONRY MINERAL COAT. -PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING. -PROVIDE ADA CONCRETE RAMP AT WEST STREET PASSAGEWAY ENTRANCE FROM BOTTOM OF CONCRETE STAIR UP TO EXISTING COURTYARD.


ARCHITECT:

PEREZ ARCHITECTURE 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:



EXISTING ENLARGED PLAN OF WEST STREET COURTYARD ENTRY



PROPOSED ENLARGED PLAN OF WEST STREET COURTYARD ENTRY

WESTBETH ARTISTS' HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET#:

INNER COURTYARD [SECTIONS A, B, C + D]


-REMOVE AND REPLACE INNER COURTYARD PAVERS IN


ORDER TO REPLACE DAMAGED STRUCTURAL STEEL.
ALL REPLACEMENT PAVER MATERIAL, SIZE, COLOR,
TEXTURE, AND PATTERN SHALL MATCH EXISTING.
-ABATE LEAD BASED PAINT FROM INNER COURTYARD
MASONRY AND STEEL WINDOWS.
-ABATE ACM WINDOW SEALANT. PROVIDE
REPLACEMENT BACKER ROD + SEALANT TO MATCH
EXISTING COLOR + TOOLING.
-PREPARE, PRIME, + PAINT TO MATCH EXISTING;
MASONRY MINERAL COAT.
-PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO
MATCH EXISTING.
-PROVIDE ADA CONCRETE RAMP AT WEST STREET
PASSAGEWAY ENTRANCE FROM BOTTOM OF
CONCRETE STAIR UP TO EXISTING COURTYARD.

ARCHITECT:

PEREZ ARCHITECTURE 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232


PRESERVATION CONSULTANT:





EXISTING EAST ELEVATION - WEST STREET COURTYARD ENTRY

EXISTING NORTH ELEVATION - WEST STREET COURTYARD ENTRY



PROPOSED EAST ELEVATION - WEST STREET INNER COURTYARD ENTRY - WITH ADA RAMP

12.00' FLOOD RESISTANT CONSTRUCTION ARCHITECT: PEREZ ARCHITECTURE BASE FLOOD ELEVATION 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT:

WESTBETH ARTISTS' HOUSING

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN

-ABATE LEAD BASED PAINT FROM INNER COURTYARD


-PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO


-PROVIDE ADA CONCRETE RAMP AT WEST STREET

463 WEST STREET

NEW YORK, NY. 10014

AYON STUDIO 41 UNION SQUARE WEST **SUITE 516** PAGE 12 NEW YORK, NY






4/A304 - SECTION DETAIL 1:12 RAMP · 1½" ROUND PIPE RAIL $1\frac{1}{2}$ " RND. RAIL MEMBER BLACK BAKED ENAMEL AL. 1-1/2" TUBE FALL PROTECTION 3'-6" 4" CONCRETE CURB W/ 2" O.D. AL. PIPE SLEEVE, W/ SEALANT GUTTER, SIM. MEIER D1/A63

3/A304 - SECTION DETAIL 1:12 RAMP

TION PROPERTY LINE PROPERTY LINE TO SENS TRUE PROPOSED TO SENS TRUE TO SENS TRUE

2/A304 - SECTION DETAIL 1:12 RAMP



1/A501 - HANDRAIL AND FALL PROTECTION DETAIL

1/A304 - SECTION DETAIL 1:12 RAMP

WESTBETH ARTISTS' HOUSING

463 WEST STREET NEW YORK, NY. 10014

DOCKET #:

<u>INNER COURTYARD</u> [SECTIONS A, B, C + D]

-REMOVE AND REPLACE INNER COURTYARD PAVERS IN ORDER TO REPLACE DAMAGED STRUCTURAL STEEL.

ALL REPLACEMENT PAVER MATERIAL, SIZE, COLOR, TEXTURE, AND PATTERN SHALL MATCH EXISTING.

-ABATE LEAD BASED PAINT FROM INNER COURTYARD MASONRY AND STEEL WINDOWS.

-ABATE ACM WINDOW SEALANT. PROVIDE REPLACEMENT BACKER ROD + SEALANT TO MATCH EXISTING COLOR + TOOLING.

-PREPARE, PRIME, + PAINT TO MATCH EXISTING; MASONRY MINERAL COAT.

-PAINT STEEL WINDOW FRAME, MULLIONS, MUNTINS TO MATCH EXISTING.

-PROVIDE ADA CONCRETE RAMP AT WEST STREET PASSAGEWAY ENTRANCE FROM BOTTOM OF

CONCRETE STAIR UP TO EXISTING COURTYARD.

ARCHITECT:

PEREZ ARCHITECTURE 86 34TH STREET, SUITE D-601 BROOKLYN, NY. 11232

PRESERVATION CONSULTANT: